


Intégration du référentiel VisualAge Pacbase dans WebSphere Studio Workbench

Maurice Boudot
boudot.m@fr.ibm.com

*Maîtriser l'évolution des développements Web d'entreprise
avec VisualAge Pacbase Version 3.5*

Vendredi 6 décembre 2002, Paris

VisualAge Pacbase



Fonctionnalités du référentiel VisualAge Pacbase

- **Intégrité**
 - ▶ Création, Modification, Annulation
 - ▶ Verrouillage
 - ▶ Références croisées
- **Navigation & Recherche**
 - ▶ Mot-clés
 - ▶ identifiant
 - ▶ ...
- **Import-Export**
- **Analyse d'impact**
- **Gestion des versions**
- **Sécurité**
 - ▶ Authentification
 - ▶ Autorisation

Présentation du prototype

- **And now, Ladies & Gentlemen**

Référentiel Finegrain

Repository Management - IBM WebSphere Studio Enterprise Developer

File Edit Navigate Search Project Run Launch Window Help

Repository Explorer

- CICS
 - W2000
 - BatchDevelopmentModel
 - CoarsegrainModel
 - DataModel
 - WebServiceModel
 - OrderManagement
 - GetOrderInformation
 - OrderNumber
 - OrderForm
 - OrderNumber
 - DeliveryAddress
 - Address
 - CountryName
 - CreateNewOrder
 - OrderForm

Entity Explorer [C...s References] all

- CountryName
 - Address
 - BillingAddress
 - DeliveryAddress
 - OrderForm
 - CreateNewOrder
 - OrderManagement
 - GetOrderInformation
 - OrderManagement

Search (id: * type: wspa)

- name
- DeliveryAddress
- ZipCode
- State
- mgrno
- City
- Street
- location
- OrderNumber
- deptname
- department
- value2
- fault
- CountryName
- result
- BillingAddress
- CustomerName
- deptno
- Info
- test
- test1
- Address
- admrdept
- OrderForm

Properties

Property	Value
Entity Name	CreateNewOrder
Entity Type	Operation
Generic Flags	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Keywords	ORDER
Last Modification Time	11/10/02 04:07
Locking User	PTIT
Short Description	

Référentiel Coarsegrain

The screenshot displays the IBM WebSphere Studio Enterprise Developer interface. The main workspace is divided into three panes:

- Repository Explorer:** Shows a tree view of the repository structure. The selected path is `CICS > W2000 > CoarsegrainModel > sample`.
- Entity Explorer [C...s References] all:** Shows the contents of the selected `sample` folder, including an `Address` folder and several files: `Contact.xml`, `Contact.xsd`, `Member.xml`, `Member.xmx`, `Member.xsd`, and `Member.xsl`.
- Search (id: Contact* type: file):** Displays the search results, showing `Contact.xsd` and `Contact.xml`.

At the bottom, the **Properties** window is open, showing the following details for the selected `Contact.xml` file:

Property	Value
Entity Name	Contact.xml
Entity Type	File
Generic Flags	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Keywords	FILE
Last Modification Time	11/10/02 10:11
Locking User	
Short Description	/sample/Address/Contact.xml

WebSphere software



 e-business software

Merci de votre attention

*Maîtriser l'évolution des développements Web d'entreprise
avec VisualAge Pacbase Version 3.5*

Vendredi 6 décembre 2002, Paris

IBM Software Group